

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

From the Botany of Capitain Beechery's voyage. p. 402

1. Juncus Menziesii (Brown); caule erecto tereli folioso, foliis lineari-acuminatis supra canaliculatis, capitulis terminalibus globosis 1-3 bracha exteriori plerumque foliacea et capitula superantibus, sepalis ovatis vel oblongis capsulam obovatam nitiolam muticam acquantibus dorso viridibus enerviis margine castaneo membranaceo versus apicem involuto. - & Mingiesii; sepalis luto-ovatis obtusis. Brown, - Hook. Flor. Bor. Am. II. p. 192. - B; Californicus; sepalis oblongis acuminatis, foliis angustioribus.


We have the second variety from Palifornia. In the Flor. Ber. Am. this was principally distinguished from J. castaneus by the broad sepals of &, and the capsula as long as the perianth. In Juncus castaneus, however, the sepals are only about half the length of the capsule, and are entirely brown, membranous and o-nerved.

										N/A
0 1	2	3	4	5	6	7	8	9	10	MISSOURI
cm		copyright reserved								BOTANICAL GARDEN


MISSOURI BOTANICAL GARDERS


8866
































Tomon Mayresii (ABrown - Herb Bank) Hook. How. Son An II. 192: Caule erekto ferets folios; fele: likean! avneniaster Lynn vanst. Selster apitale, termiselibe, 26bores 1-3 Graten extentre pleningere foliaven al capital, supera Clay (2.7.); sepelis late ovettis obtres is capsulan obovatan nitidan mutionen oregants Ab. HU. Coast of Am. Maying. Common acar the Confluence of the Colombia and thouse to Maget Jount. Dongla, A span on nearly a foothigh, mil bear slightly so, Head of flowers generaly lange Tepel unusually broad, Very dishort. Hebrit of T. Castaney.








Junear Mayiesi (A Brown i Hert Banks) Hook Flow Bor Au . 1. 192 /1840 (aute creets forti folisso Tolis linean's arum acti supen randbrulete; Cepitalis termineliber, globosis 1-3 bredtes exteriori plenning un phiarra et rapitul, degrenatibus Papilli leto-viti obtusis capsulam Capsulam oboratam nitidam mitidam meticam ægeent, bag 11. W Coast, Meaning of Columbia A. t. Physits son , son Synds unasceally broad; Habit of I. castancy Moli Kuth or Steeld!

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



copyright reserved

GARDEN


cm

MISSOURI


copyright reserved

cm


BOTANICAL GARDEN








































Hb. nom 40





From the Botany of the antarctic voyage. (It. Jus manich 2. p.64 3. Juneus falcalus (8. Meyer, in Belig. Hachk. I. 144; Linnaca, XXVI. 245); rhizomate repente perennante, culmis basi folialis medio uni-foliatis v. aphyllis, foliis ngidis anguste linearibus planis v. marginibus involutis, capitulis solituriis lerminalibus globosis, perianthii foliolis acutis cupsulam late obovatam oblusam aequantibus, stammibus 6, seminibus lineari oblonges, testa striata utringue breviter producter. (Junn 339.) Hab. Wet places in the mountains, as at Arthur's Lakes, Jake St. Clair, cc., Junn, Stroker. - (Fl. Jan., Febr.) Distrib. Alps of Victoria, Mueller; Unalashka and Galifornia (4'd. 6. Meyer). At most distinct species, a span to a foot high, at once distin. quished from its flat-leaved congeners by its creeping perennial rhizomes, solilary capitula of rather large flowers, large, obovate, bluns, black- brown capsule, striate seeds, with the testa produced beyond either end, and six stamme.



MISSOURI BOTANICAL GARDEN

0086



Janon faloratur Ellinger in Relig Hamk Carle companis shrieto

Toling newsing subfalcati; GEORGE ENGELMANN PAPERS Capital. subsolitanie Periathi Paricis cratis antis exteriorités mueronalis Capada trigono-pyriformi brevioriky Coule, junans vel spritamani anoipute, Vaginis Sapheno - agriculations
Capitulus 1-2, vix semiglobosuum Signale = 2, ... castaneas donse vinites inter fasories purpuent - higherantes Stan. 6 - author flant segentitus Montery Calif

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

months which August, September he first group give January, exhibit degrees of electricity y, April instead the

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

GARDEN

cm

Nev-Mush 25, 3 Sen as March 8/67 Deer dr. Engelmann La ymapaper on hoste limencan spices of funcus you take exception to my name of J. folipmelature stating that it is absolutely wrong The forties rootlets bearing no hites at all" I assure yvne I did mtind, or understand the name to give That Signification, I gave the name m allumin to its pendant thread Whe fruit bearing stimes. It is from the Latin wordsprenchus, hanging dron, dangling. Thehum a Thread." The more correct word would be fallendula to have The norm fili and apdychve pudula agre ni gude I care. I I mtmdidd to have it Thus IN may be a typograpical error or my mistake which you Could torily have corrected by evanny two litters & adding


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

amon Hill -- I read read from my position --- yes, pelled names must have prevedence over MS names though comity among votunis of soiner would (wilsty superie an author to espect such names for it on labely stope undustant the mathers, and have nothing won on to my chilities and plane " just as L'anne ! Arolegier Syrian. en he hat tubuit to firs a change. a yn stite my objection ynself. - till publes ils a, um. is ever assert for ... its . as spine fliple .. bel you claves that the adjustice is to I enjul at a penden in steer . - . notors could condition if their you angle how not fiderline on ne night have translated bongs & fry, have I. filiralis or fliculous. It would not have been vorz handsome but then, the name bite would have to stand, I had the plant sing els 1148 and had now it (protety) I Libble hein fol. my sperious show all an exect not fully an filig that a prior name existed, though only i Men I restituted that name, that, all the injustice" I will neive you plea is by altenda, sothet Bolants may judge ch/ between us; you my of course worth give statum probers min findent manning and Lymoremons hour. I lear that you have been appointed Stat, quologist of Tyar Ithen, have a free field for research in wal, hist. such, Thave as doubt, on will prosecute to the costs of your abilities.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


another. Your adoption of a name 1 polis attached to a Specimen in a private theng4 Jan Barrier herhanum is contrans to Established rules of nomenclature; by which the first published name jomed with こと る a description of the object giving el., its districtive characters in such F.C. a monner that it can be never-6 niged, must take the precidince trulers yne gre me some Lan better reason than I know know for 一一 dropping man of this - die Ment. I also of you still determine to de so, I shall then give my 1 1/2/ viens en the subject ni some deen-2 tifie Journal. en le I am down that you should thus 2 2 appear to wish to do me injustice, en Ze II hope you can explain it E ENGELMAN Umas buly S. 13. Buchley

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved




Tenry Buckleyi 2. filipende, Amble ProMish. 1862 p.8 146 Miles Grang Ly 2. In. 2. In. Might 675 Mashorthe de
















MISSOURI BOTANICAL GARDERS
MISSOURI BOTANICAL PAPERS
GEORGE ENGELMANN PAPERS
















MISSOURI BOTANICAL copyright reserved cm GARDEN